ELSEVIER

Journal of Organometallic Chemistry 580 (1999) 412–414

Journal of Organometallic Chemistry

Contents of Volume 580

Regular Papers

C_2-bridged metallocene dichloride complexes of the types $(C_{13}H_8-CH_2CHR-C_9H_{6-n}R'_n)ZrCl_2$ and $(C_{13}H_8-CH_2CHR-C_{13}H_8)MCl_2$ ($n = 0$, 1; R = H, alkenyl; R′ = alkenyl, benzyl; M = Zr, Hf) as self-immobilizing catalyst precursors for ethylene polymerization
H.G. Alt, M. Jung 1

Synthesis, crystal structure and biological activity of thiophene-2-carboxaldehyde thiosemicarbazone and its tin complexes
S.-G. Teoh, S.-H. Ang, H.-K. Fun, C.-W. Ong 17

Intermolecular C–H activation to a novel Rh nitrile bridged porphyrin coordination polymer
X. Zhou, R.-J. Wang, F. Xue, T.C.W. Mak, K.S. Chan 22

Synthesis and structure of biologically active ferrocenylalkyl polyfluoro benzimidazoles
L.V. Snegur, V.I. Boev, Y.S. Nekrasov, M.M. Ilyin, V.A. Davankov, Z.A. Starikova, A.I. Yanovsky, A.F. Kolomiets, V.N. Babin 26

IR study of rotational isomerism in dirhenium and diruthenium complexes of the ferrole type
B.V. Lokshin, M.G. Ezernitskaya, V.I. Zdanovich, A.A. Koridze 36

Dealkylation reactions of dialkylaminomethylferrocenes with cyclic chlorocarbaphosphazene, $(ClCN)_2(Cl_2PN)$
N.D. Reddy, A.J. Elias, A. Vij 41

Synthesis, characterization and crystal structures of osmium–rhodium mixed-metal clusters containing pentamethylcyclopentadienyl ligand: $[Os_3Rh(\mu\text{-}CO)_2(CO)_9(\eta^5\text{-}Cp^*)]$, $[Os_3Rh_2(\mu\text{-}H)(\mu\text{-}CO)_2(CO)_8(\eta^5\text{-}Cp^*)(\mu_2\text{-}\eta^5,\eta^1\text{-}CH_2C_5Me_4)]$ and $[Os_3Rh(\mu_3\text{-}H)(\mu\text{-}Cl)(\mu\text{-}CO)(CO)_9(\eta^5\text{-}Cp^*)]$
S.Y.-W. Hung, W.-T. Wong 48

Synthesis and molecular structure of the tetranuclear μ_4-oxo-centered chromium complex $[Cr_4(CH_2CH_2CH_2NMe_2)_4(\mu_4\text{-}O)(\mu\text{-}Cl)_6]$
F. Ossola, F. Benetollo 56

Ring-opening reactions of thiomorpholine and thiazolidine by $[Ru_3(CO)_{12}]$: crystal structures of $[Ru_3(\mu\text{-}H)(\mu\text{-}\eta^2\text{-}SCH_2CH_2NH_2)(CO)_9]$ and $[Ru_2(\mu\text{-}\eta^3\text{-}SCH_2CH_2NHCH_2)(CO)_6]$
K.M. Hanif, M.B. Hursthouse, S.E. Kabir, K.M.A. Malik, E. Rosenberg 60

Cyano-bridged Fe–CN–Pt–NC–Fe chain complexes: structural and spectroscopic characterization of four isomers of $[\{\eta^5\text{-}(1\text{-phenylborole})Fe(CO)_2(\mu\text{-}CN)\}_2Pt(PEt_3)_2]$
P. Braunstein, G.E. Herberich, M. Neuschütz, M.U. Schmidt 66

Methylcyclopentadienyl-vanadium(III) complexes
C. Böttcher, H. Schmidt, D. Rehder 72

Electrochemical and optical properties of poly[(disilanylene)oligophenylenes], peculiar behavior in the solid state
J. Ohshita, K. Sugimoto, A. Kunai, Y. Harima, K. Yamashita 77

Synthesis, structure, and reactivity of rhenium *N*-isocyanide complexes $ReBr(CO)_3(CNR)(CNNPPh_3)$
J.-S. Fan, F.-Y. Lee, C.-C. Chiang, H.-C. Chen, S.-H. Liu, Y.-S. Wen, C.-C. Chang, S.-Y. Li, K.-M. Chi, K.-L. Lu 82

Syntheses of polymethylene bridged dinuclear zirconocenes and investigation of their polymerisation activities
S.K. Noh, J. Kim, J. Jung, C.S. Ra, D.-h. Lee, H.B. Lee, S.W. Lee, W.S. Huh 90

Preparations and characterizations of homodinuclear complexes containing flyover bridge or cyclopentadienone ligands; X-ray crystal structures of $Co_2(CO)_3(PPh_3)\{\mu\text{-}C(SiMe_3)=CH-CH=C(SiMe_3)-CH=C(SiMe_3)\}$, $Co_2(CO)_2(\mu\text{-}CO)_2(\eta^4\text{-}2,5\text{-bistrimethylsilylcyclopentadienone})_2$ and 2,5-bis(trimethylsilanyl)cyclopenta-2,4-dien-1-one
F.-E. Hong, J.-Y. Wu, Y.-C. Huang, C.-K. Hung, H.-M. Gau, C.-C. Lin 98

Reactions of dinuclear carboxylate ruthenium (I) complexes with alcohols. The unexpected oxidation of primary alcohols to carboxylic ligands
J. Soler, I. Moldes, E. de la Encarnación, J. Ros 108

Alkyl and alkylidene imido cyclopentadienyl tungsten complexes
S. Acebrón, M.V. Galakhov, P. Gómez-Sal, A. Martín, P. Royo, A. Vázquez de Miguel 110

High-yield syntheses, under mild conditions, of various neutral and anionic ruthenium and osmium carbonyl clusters by controlled reduction in ethylene glycol of $[M(CO)_3Cl_2]_2$ or MCl_3 (M=Ru, Os) in the presence of Na_2CO_3 or K_2CO_3
C. Roveda, E. Cariati, E. Lucenti, D. Roberto 117

New optically active organogermane compounds containing the adamantyl radical for heterogeneous bimetallic catalysis. Part II
M. Taoufik, C.C. Santini, J.-M. Basset 128

Bispentamethylcyclopentadienyl uranium(IV) thiolate compounds. Synthesis and reactions with CO_2 and CS_2
C. Lescop, T. Arliguie, M. Lance, M. Nierlich, M. Ephritikhine 137

Synthesis and olefin polymerization using supported and non-supported geometry constrained titanium complexes
M. Galan-Fereres, T. Koch, E. Hey-Hawkins and M.S. Eisen 145

First structural characterisation of 1,2,4-selenadiphosphole and 1,2,4-telluradiphosphole ring systems. Crystal and molecular structures of the η^1-complexes $[M(CO)_5(P_2SeC_2Bu^t_2)]$ (M = Cr, W) and $[W(CO)_5(P_2TeC_2Bu^t_2)]$
M.D. Francis, D.E. Hibbs, P.B. Hitchcock, M.B. Hursthouse, C. Jones, T. Mackewitz, J.F. Nixon, L. Nyulaszi, M. Regitz N. Sakarya 156

Half-sandwich dichloro, alkyl chloro, dialkyl, alkyl methyl and amido methyl imido cyclopentadienyl niobium and tantalum(V) complexes. Dynamic behaviour of amido imido tantalum derivatives
A. Castro, M.V. Galakhov, M. Gómez, F. Sánchez 161

Synthesis of bis-cyclopentadienyl, bis-indenyl and mixed-ring indenyl halides of tungsten
I.S. Gonçalves, E. Herdtweck, C.C. Romão, B. Royo 169

Synthèse régiosélective par voie organozincique de 1,4-diamines primaires propargyliques et applications
G. Courtois, V. Desré and L. Miginiac 178

Preliminary Communications

CO_2 laser photosensitised decomposition of 1,3-diphenyldisiloxane in the liquid phase: formation of poly(phenylsiloxanes) via extrusion/insertion of phenylsilanone
J. Pola, Z. Plzák, A. Ouchi, J. Kupčík, Y. Koga 188

Multiple arylations of aromatics via removable palladacycle scaffolds: polycyclic compounds and their way of formation
M. Catellani, E. Motti, L. Paterlini, G. Bocelli, L. Righi 191

Conference Calendar 197

Regular Papers

Synthesis of $[(\mu\text{-RS})(\mu\text{-S})\{Fe_2(CO)_6\}_2(\mu_4\text{-S})]^-$ and their reactivity toward electrophiles
Z.-X. Wang, C.-S. Jia, Z.-Y. Zhou, X.-G. Zhou 201

NMR study of the dynamic behaviour of the system 2-ethylhexylsodium-2-ethylhexyllithium in heptane
S.G. Sakharov, N.I. Pakuro, A.A. Arest-Yakubovich, L.V. Shcheglova, P.V. Petrovskii 205

A directly ring-to-ring linked ferrocene–pseudotitanocene complex
P. Štěpnička, J. Podlaha, M. Horáček, V. Hanuš, K. Mach. 210

Syntheses and X-ray structures of complexes with (η^3-allyl)Mo-units in oxygen-rich coordination spheres
C. Borgmann, C. Limberg, E. Kaifer, H. Pritzkow, L. Zsolnai 214

Site-selective carbonyl substitution in the mixed-metal cluster anion $[H_2Ru_3Ir(CO)_{12}]^-$: synthesis and characterization of phosphine, phosphite, arsine and stibine derivatives
G. Süss-Fink, S. Haak, V. Ferrand, A. Neels, H. Stoeckli-Evans. 225

Reaction of 1-alkynylsilanes with triallylborane—competition between 1,1- and 1,2-allylboration
B. Wrackmeyer, O.L. Tok, Y.N. Bubnov 234

A tetraruthenium carbonyl cluster bearing indenyl-type ligand as the facial bonding mode
H. Nagashima, A. Suzuki, H. Kondo, M. Nobata, K. Aoki, K. Itoh 239

A C_2-symmetric analogue of dppf: synthesis and structures of the indenyl-diphosphine complex 1,3-$(Ph_2PSe)_2(C_9H_6)$ and the racemic and *meso* isomers of the heterobimetallic complex $Mo(CO)_4(1\text{-}PPh_2\text{-}\eta^5\text{-}C_9H_6)_2Fe$
J.J. Adams, D.E. Berry, J. Browning, D. Burth, O.J. Curnow 245

Synthesis of Co_2Pt, Co_2Pd and $MoPd_2$ mixed-metal clusters with the P–N–P assembling ligands $(Ph_2P)_2NH$ (dppa) and $(Ph_2P)_2NMe$ (dppaMe). Crystal structure of $[Co_2Pt(\mu_3\text{-}CO)(CO)_6(\mu\text{-dppa})]$
I. Bachert, I. Bartusseck, P. Braunstein, E. Guillon, J. Rosé, G. Kickelbick 257

Synthesis and characterisation of the bidentately attached linear triphos complexes $[MXY(CO)(L\text{-}P,P')(\eta^2\text{-}RC_2R)]$ {M = Mo, W; X, Y = Cl, Br, I; L = $PhP(CH_2CH_2PPh_2)_2$; R = Me, Ph}. X-ray crystal structures of $[WX_2(CO)(L\text{-}P,P')(\eta^2\text{-}PhC_2Ph)]$ (X = Br and I) and $[MoI_2(O)\{Ph_2P(CH_2)_2PPh(CH_2)_2POPh_2\text{-}P,P',O\}]$
P.K. Baker, M.G.B. Drew, M.M. Meehan, J. Szewczyk 265

Cyclopalladation of mono-, di- and tribenzylamine by palladium(II) acetate. Influence of bulkiness around the nitrogen atom of benzylamine upon internal metallation
Y. Fuchita, K. Yoshinaga, T. Hanaki, H. Kawano, J. Kinoshita-Nagaoka 273

Bis(2,6-dimethoxyphenyl) sulfide, selenide and telluride, and their derivatives
M. Wada, S.-i. Nobuki, Y. Tenkyuu, S. Natsume, M. Asahara, T. Erabi 282

Palladium(II)-catalyzed carboxylation of benzene and other aromatic compounds with carbon monoxide under very mild conditions
W. Lu, Y. Yamaoka, Y. Taniguchi, T. Kitamura, K. Takaki, Y. Fujiwara 290

Electron transfer versus nucleophilic pathways in the ion-pair annihilation of organoborate anions by carbonylmanganese(I) cations
D. Zhu, J. K. Kochi 295

Reactivity of $AlMe_3$ with titanium(IV) Schiff base complexes: X-ray structure of $[Ti\{(\mu\text{-}Br)(AlMe_2)\}\{(\mu\text{-}Br)(AlMe_2X)\}(salen)] \cdot C_7H_8$ (X = Me or Br) and reactivity studies of mono-alkylated [Ti(Me)X(L)] complexes
S.J. Coles, M.B. Hursthouse, D.G. Kelly, A.J. Toner, N.M. Walker 304

Synthesis and structural characterization of $Mo_2(\mu\text{-}SC_6H_4\text{–}Cl\text{-}p)_2(\mu\text{-dppm})(CO)_6$ and $[(dppm)(CO)_2Mo(\mu\text{-}SC_6H_4\text{–}Cl\text{-}p)_2Mo(O)]_2(\mu\text{-}SC_6H_4\text{–}Cl\text{-}p)_2(\mu\text{-}O)$ and electrochemical property of $Mo_2(\mu\text{-}SC_6H_4\text{–}Cl\text{-}p)_2(\mu\text{-dppm})(CO)_6$
G. Pan, B. Zhuang, L. He, J. Chen, J. Lu 313

Exchange and insertion reactions involving borane adducts of phosphirane and phosphirene: a G2(MP2) ab initio investigation
T.I. Sølling, S.B. Wild, L. Radom 320

Synthesis, reactions and X-ray crystal structures of metallacrown ethers with unsymmetrical bis(phosphinite) and bis(phosphite) ligands derived from 2-hydroxy-2′-(1,4-bisoxo-6-hexanol)-1,1′-biphenyl
M. Hariharasarma, C.H. Lake, C.L. Watkins, G.M. Gray 328

Synthesis and molecular structure of *cisoid* and *transoid* isomers of $[Re_2(CO)_6$(1,1′-bis(indenylidene)] derived from the reaction of $[Re_2(CO)_8(MeCN)_2]$ and diazoindene
A.J. Arce, R. Machado, Y. De Sanctis, R. Isea, R. Atencio, A.J. Deeming 339

Tin(IV) and organotin(IV) derivatives of novel β-diketones: Part IV. Triorganotin(IV) complexes of fluorinated 4-acyl-5-pyrazolones. Crystal structure of (1-(4-trifluoromethylphenyl)-3-methyl-4-acetylpyrazolon-5-ato)triphenyltin(IV)
F. Marchetti, C. Pettinari, A. Cingolani, L. Brocanelli, M. Rossi, F. Caruso 344

Syntheses with organoboranes. IX. Vinyl- and 1-alkenyldichloroboranes as ethylene and 1-alkene equivalents for the Diels–Alder reaction
M. Zaidlewicz, J.R. Binkul, W. Sokół 354

Solid-state aggregation of mercury bis-acetylides, $Hg(C{\equiv}CR)_2$, R = Ph, $SiMe_3$
S.J. Faville, W. Henderson, T.J. Mathieson, B.K. Nicholson 363

Thermal and photochemical transformations of 2-methylthiothiophene in triosmium clusters: photoinduced migrations of MeS from carbon to metal and back again
A.J. Arce, A.J. Deeming, Y. De Sanctis, D.M. Speel, A. Di Trapani 370

Preliminary communication

Cp_2TiCl_2 catalyzed one-pot synthesis of $n\text{-}Bu_3GeH$ from $GeCl_4$
T.J. Colacot 378

Book Reviews 383
Erratum 385
Conference Calendar 399
Author Index of Volume 580 403
Subject Index of Volume 580 405
Contents of Volume 580 412